



Architecture and Interfaces

vanilladb.org

RDBMS

- Definition: A ***Relational DBMS (RDBMS)*** is a DBMS that supports the relational model



Outline

- Architecture of an RDBMS
- Query interfaces
 - SQL, JDBC, and Native
- Storage interface
 - RecordFile and metadata



Outline

- Architecture of an RDBMS
- Query interfaces
 - SQL, JDBC, and Native
- Storage interface
 - RecordFile and metadata



Architecture of an RDBMS

- Does not change too much since IBM announces the System R


The VanillaDB Project

- VanillaCore
 - An RDBMS on a single server
- VanillaComm
 - A communication infrastructure for distributed RDBMS



Architecture of VanillaCore (1/2)

VanillaCore



Architecture of VanillaCore (2/2)

- Interfaces:
 - SQL
 - JDBC
 - Native query interface
 - Storage interface (for file access)
- Key components:
 - Sever and infrastructures (jdbc, sql, tx, and utils)
 - Query engine
 - Storage engine



Outline

- Architecture of an RDBMS
- **Query interfaces**
 - SQL, JDBC, and Native
- Storage interface
 - RecordFile and metadata



The SQL Interface

- ***SQL*** (Structured Query Language) is a standardized interface
 - SQL-92, SQL-99, and later versions



Issuing SQL Commands

- Client-server mode:
 - Manually through
util.ConsoleSQLInterpreter

```
ConsoleSQLInterpreter [Java Application] C:\Program Files\Java\jdk1.6.0_27\bin\javaw.exe (2013/2/4 上午12:29:52)
SQL> SELECT sname FROM student WHERE gradyear > 2012
|
+-----+
| dun |
+-----+
SQL>
```

- Or in client programs through the **JDBC** interface
- Embedded mode:
 - Native query interface



Supported SQL Commands (1/5)

- VanillaCore supports a tiny subset of SQL-92
 - DDL: CREATE <TABLE | VIEW | INDEX>
 - DML: SELECT, UPDATE, INSERT, DELETE
- Limitations:
 - Types: int, long, double, and varchar
 - Single SELECT-FROM-WHERE block
 - No * in SELECT clause, no AS in FROM, no null value, no explicit JOIN or OUTER JOIN, only AND in WHERE, no parentheses, no computed value
 - Arithmetic expression only in UPDATE
 - No query in INSERT



Supported SQL Commands (2/5)

```
<Field>      := IdTok
<Constant>   := StrTok | NumericTok
<Expression> := <Field> | <Constant>
<BinaryArithmeticExpression> :=
                  ADD(<Expression>, <Expression>) |
                  SUB(<Expression>, <Expression>) |
                  MUL(<Expression>, <Expression>) |
                  DIV(<Expression>, <Expression>)
<Term>        := <Expression> = <Expression> |
                  <Expression> > <Expression> |
                  <Expression> >= <Expression> |
                  <Expression> < <Expression> |
                  <Expression> <= <Expression>
<Predicate>   := <Term> [ AND <Predicate> ]
```



Supported SQL Commands (3/5)

```
<Query>      := SELECT <ProjectSet> FROM <TableSet>
              [ WHERE <Predicate> ] [ GROUP BY <IdSet> ]
              [ ORDER BY <SortList> [ DESC | ASC ] ]  
  
<IdSet>       := <Field> [ , <IdSet> ]  
<TableSet>     := IdTok [ , <TableSet> ]  
<AggFn>        := AVG(<Field>) | COUNT(<Field>) |
                         COUNT(DISTINCT <Field>) | MAX(<Field>) |
                         MIN(<Field>) | SUM(<Field>)  
<ProjectSet>   := <Field> | <AggFn> [ , <ProjectSet> ]  
<SortList>      := <Field> | <AggFn> [ , <SortList> ]
```



Supported SQL Commands (4/5)

```
<UpdateCmd>    := <Insert> | <Delete> | <Modify> | <Create>
<Create>        := <CreateTable> | <CreateView> |
                    <CreateIndex>
<Insert>        := INSERT INTO IdTok ( <FieldList> ) VALUES
                    ( <ConstantList> )
<FieldList>     := <Field> [ , <Field> ]
<ConstantList> := <Constant> [ , <Constant> ]
<Delete>        := DELETE FROM IdTok [ WHERE <Predicate> ]
<Modify>        := UPDATE IdTok SET <ModifyTermList>
                    [ WHERE <Predicate> ]
```



Supported SQL Commands (5/5)

```
<ModifyExpression>  := <Expression> |  
                      <BinaryArithmeticExpression>  
<ModifyTermList>     := <Field> = <ModifyExpression>  
                      [ , <ModifyTermList> ]  
  
<CreateTable>        := CREATE TABLE IdTok ( <FieldDefs> )  
<FieldDefs>          := <FieldDef> [ , <FieldDef> ]  
<FieldDef>           := IdTok <TypeDef>  
<TypeDef>            := INT | LONG | DOUBLE |  
                      VARCHAR ( NumericTok )  
<CreateView>         := CREATE VIEW IdTok AS <Query>  
<CreateIndex>        := CREATE INDEX IdTok ON IdTok  
                      ( <Field> )
```




Util. Classes for SQL

- In `sql` package
- Types:
 - Numeric: `IntegerType`, `BigIntType`, and `DoubleType`
 - String: `VarcharType`
- Constants:
 - `IntegerConstant`, `BigIntConstant`, `DoubleConstant`, and `VarcharConstant`
- For relations:
 - `Schema`, `Record`
- For commands:
 - `Predicate`, `AggFn`



Architecture of VanillaCore (1/2)

VanillaCore



Types

- Each Type impl. denotes a supported SQL type

<<abstract>>
Type
<<final>> + INTEGER : Type
<<final>> + BIGINT : Type
<<final>> + DOUBLE : Type
<<final>> + VARCHAR : Type
+ VARCHAR(arg : int) : Type
+ newInstance(sqlType : int) : Type
+ newInstance(sqlType : int, arg : int) : Type
<<abstract>> + getSqlType() : int
<<abstract>> + getArgument() : int
<<abstract>> + isFixedSize() : boolean
<<abstract>> + isNumeric() : boolean
<<abstract>> + maxSize() : int
<<abstract>> + maxValue() : Constant
<<abstract>> + minValue() : Constant

java.sql.Types	vanilladb.sql.Type
INTEGER	IntegerType
BIGINT	BigIntType
DOUBLE	DoubleType
VARCHAR	VarcharType



Constants

- Each Constant impl. denotes a value of a supported type
 - Immutable
 - Arithmetics with auto type-upgrade

```
<<abstract>>
Constant

+ newInstance(type : Type, val : byte[]) :
    Constant
+ defaultInstance(type : Type) : Constant
<<abstract>> + getType() : Type
<<abstract>> + asJavaVal() : Object
<<abstract>> + asBytes() : byte[]
<<abstract>> + size() : int
<<abstract>> + castTo(type : Type) : Constant
<<abstract>> + add(c : Constant) : Constant
<<abstract>> + sub(c : Constant) : Constant
<<abstract>> + mul(c : Constant) : Constant
<<abstract>> + div(c : Constant) : Constant
```

vanilladb.sql.Type	Value type in Java
IntegerType	Integer
BigIntType	Long
DoubleType	Double
VarcharType	String



Relations

blog pages

blog_id	url	created	author_id
33981	ms.com/...	2012/10/31	729
33982	apache.org/...	2012/11/15	4412

← Schema

← Record



Schema & Record

Schema

```
+ Schema()  
+ addField(fldname : String, type : Type)  
+ add(fldname : String, sch : Schema)  
+ addAll(sch : Schema)  
+ fields() : SortedSet<String>  
+ hasField(fldname : String) : boolean  
+ type(fldname : String) : Type
```

- Contains the name and type of each field in a table

<<interface>> Record

```
+ getVal(fldName : String) : Constant
```

- A map from field names to constants



Commands

- Supporting WHERE: predicates in `sql.predicate package`
 - Expression, FieldExpression, ConstantExpression, BinaryArithmeticExpression, Term, and Predicate
- Supporting GROUP BY: aggregation functions in the `sql.aggfn package`
 - AggregationFn, AvgFn, CountFn, DistictCountFn, MaxFn, MinFn and SumFn

Outline

- Architecture of an RDBMS
- Query interfaces
 - SQL, JDBC, and Native
- Storage interface
 - RecordFile and metadata




JDBC

- Defined in `java.sql`
- Java interfaces:
 - `Driver`, `Connection`, `Statement`,
`ResultSet`, and `ResultSetMetaData`
- Implementation manages the transfer of data between a Java client and the RDBMS
- `VanillaCore` implements a tiny subset of JDBC
 - `org.vanilladb.core.remote.jdbc`



Architecture of VanillaCore (1/2)


VanillaCore



JDBC Programming

1. Connect to the server
2. Execute the desired query
3. Loop through the result set (for SELECT only)
4. ***Close*** the connection
 - A result set ties up valuable resources on the server, such as buffers and locks
 - Client should close its connection as soon as the database is no longer needed

Example: A student DB





```
Connection conn = null;
try {
    // Step 1: connect to database server
    Driver d = new JdbcDriver();
    conn = d.connect("jdbc:vanilladb://localhost", null);
    conn.setAutoCommit(false);
    conn.setReadOnly(true);
    // Step 2: execute the query
    Statement stmt = conn.createStatement();
    String qry = "SELECT s-name, d-name FROM departments, "
    + "students WHERE major-id = d-id";
    ResultSet rs = stmt.executeQuery(qry);
    // Step 3: loop through the result set
    rs.beforeFirst();
    System.out.println("name\tmajor");
    System.out.println("-----\t-----");
    while (rs.next()) {
        String sName = rs.getString("s-name");
        String dName = rs.getString("d-name");
        System.out.println(sName + "\t" + dName);
    }
    rs.close();
} catch (SQLException e) {
    e.printStackTrace();
} finally {
    try {
        // Step 4: close the connection
        if (conn != null)
            conn.close();
    } catch (SQLException e) {
        e.printStackTrace();
    }
}
```

JDBC Program: Finding Major



API (1/2)



- Makes connections to the server



API (2/2)

```
<<interface>>
Statement

+ executeQuery(gry : String) : ResultSet
+ executeUpdate(cmd : String) : int
...
```

```
<<interface>>
ResultSet

+ next() : boolean
+ getInt(fldname : String) : int
+ getString(fldname : String) : String
+ getLong(fldname : String) : Long
+ getDouble(fldname : String) : Double
+ getMetaData() : ResultSetMetaData
+ beforeFirst()
+ close()
...
```

- An iterator of output records

```
<<interface>>
ResultSetMetaData

+ getColumnCount() : int
+ getColumnName(column : int) : String
+ getColumnType(column : int) : int
+ getColumnDisplaySize(column : int) : int
...
```




Outline

- Architecture of an RDBMS
- Query interfaces
 - SQL, JDBC, and Native
- Storage interface
 - RecordFile and metadata



Architecture of VanillaCore (1/2)

VanillaCore



Native Program: Finding Major

- JDBC client
- Native (server side)

```
Connection conn = null;
try {
    // Step 1: connect to database server
    Driver d = new JdbcDriver();
    conn = d.connect("jdbc:vanilladb://localhost", null);
    conn.setAutoCommit(false);
    conn.setReadOnly(true);
    // Step 2: execute the query
    Statement stmt = conn.createStatement();
    String qry = "SELECT s-name, d-name FROM departments, "
        + "students WHERE major-id = d-id";
    ResultSet rs = stmt.executeQuery(qry);
    // Step 3: loop through the result set
    rs.beforeFirst();
    System.out.println("name\tmajor");
    System.out.println("-----\t-----");
    while (rs.next()) {
        String sName = rs.getString("s-name");
        String dName = rs.getString("d-name");
        System.out.println(sName + "\t" + dName);
    }
    rs.close();
} catch (SQLException e) {
    e.printStackTrace();
} finally {
    try {
        // Step 4: close the connection
        if (conn != null)
            conn.close();
    } catch (SQLException e) {
        e.printStackTrace();
    }
}
```

```
VanillaDb.init("studentdb");

// Step 1 correspondence
Transaction tx = VanillaDb.txMgr().newTransaction(
    Connection.TRANSACTION_SERIALIZABLE, true);

// Step 2 correspondence
Planner planner = VanillaDb.newPlanner();
String query = "SELECT s-name, d-name FROM departments, "
    + "students WHERE major-id = d-id";
Plan plan = planner.createQueryPlan(query, tx);
Scan scan = plan.open();

// Step 3 correspondence
System.out.println("name\tmajor");
System.out.println("-----\t-----");
while (scan.next()) {
    String sName = (String) scan.getVal("s-name").asJavaVal();
    String dName = (String) scan.getVal("d-name").asJavaVal();
    System.out.println(sName + "\t" + dName);
}
scan.close();

// Step 4 correspondence
tx.commit();
```



API (1/2)




Planner
+ createQueryPlan(qry : String, tx : Transaction) : Plan
+ executeUpdate(cmd : String, tx : Transaction) : int

Transaction
+ <u>addStartListener (l : TransactionLifeCycleListener)</u>
+ Transaction(concurMgr : TransactionLifeCycleListener, recoveryMgr : TransactionLifeCycleListener, readOnly : boolean, txNum : long)
+ addLifeCycleListener(l : TransactionLifeCycleListener)
+ commit()
+ rollback()
+ recover()
+ endStatement()
+ getTransactionNumber() : long
+ isReadOnly() : boolean
+ concurrencyMgr() : ConcurrencyMgr
+ recoveryMgr() : RecoveryMgr

- All operations resulted from a planner are bound by the associated tx



API (2/2)



- Corresponds to an operator in relational algebra
- The root of a plan tree
- Allows cost estimation
- `open()` propagates down to the tree
- Iterator of output records of a plan (partial query)



Outline

- Architecture of an RDBMS
- Query interfaces
 - SQL, JDBC, and Native
- Storage interface
 - RecordFile and metadata

How are the databases/tables/records stored in a file system?

- Database: directory
- Table: file
- Record: bytes
- Managed by the storage engine



How are they used in the query processing?




File Access

- Notice that the inputs of the lowest plans in a plan tree are tables
 - Abstracted by TablePlan
 - The corresponding TableScan is an iterator of all records in a table
 - Each TableScan instance wraps a RecordFile instance



Architecture of VanillaCore (1/2)

VanillaCore




Files, Blocks, and Pages

- Definition: A **block** is the minimal sequence of bytes the OS reads/writes from/to a file at a time
 - Hides the difference of sectors in different devices
- Must be read into a **page** in memory first
 - Multiple writes to a page can be reflected to file at once using the system call flush()




Record File (1/2)

- Provides both random- and sequential-access methods to a file
- Random access:
`moveToRecordId()`
 - RID = BID + shift-in-block
 - BID = file name + shift-in-file
- RecordFile is itself an iterator of a collection of records



Record File (2/2)

- Handles the caching automatically
- Reads/writes a block a time from underlying file
- `getVal()` and `setVal()` access the current record in current page corresponding to the current block
- Calling `next()` may flush the page



Outline

- Architecture of an RDBMS
- Query interfaces
 - SQL, JDBC, and Native
- Storage interface
 - RecordFile and metadata

How does TableScan know which file to access
for a table, and how many bytes for each record?



Metadata

- Definition: A ***metadata*** is the information about a database, apart from its contents.




Metadata in VanillaCore

- Table metadata
 - Describes the file of each table, and structure of the table's records such as the length, type, and offset of each field
- View metadata
 - Describes the properties of each view, such as its definition and creator
- Index metadata
 - Describes the indexes that have been defined on each field
- Statistical metadata
 - Describes the statistics of each table useful to estimating the cost of plan tree



Architecture of VanillaCore (1/2)

VanillaCore



Metadata in Database System (1/2)

- VanillaCore stores the first three types of metadata in a collection of special tables called the *catalog tables*
 - tblcat.tbl, fldcat.tbl, idxcat.tbl and viewcat.tbl
 - Updated each time when a table/view/index is created
- Why?
 - Allows the metadata to be queried like normal data



Metadata in Database System (2/2)

- Statistical metadata is kept in memory and updated periodically
- Why?
 - No need to be accurate
 - Accessed by every plan tree, must be very fast



Metadata Management

- The storage engine provides *catalog manager* and *statistic manager*
 - It is the Planner that notifies StatMgr about the changes to a DB
- Related package
 - org.vanilladb.core.storage.metadata

CatalogMgr

```
+ CatalogMgr(isnew : boolean, tx : Transaction)
+ createTable(tblname : String, sch : Schema, tx : Transaction)
+ getTableInfo(tblname : String, tx : Transaction) : TableInfo
+ createView(viewname : String, viewdef : String, tx : Transaction)
+ getViewDef(viewname : String, tx : Transaction) : String
+ createIndex(idxname : String, tblname : String, fldname : String,
indexType : int, tx : Transaction)
+ getIndexInfo(tblname : String, tx : Transaction) :
Map<String,IndexInfo>
```

StatMgr

```
+ StatMgr(tx : Transaction)
<<synchronized>> + getTableStatInfo(ti : TableInfo, tx :
Transaction) : TableStatInfo
<<synchronized>> + countRecordUpdates(tblName :
String, count : int)
```




Using Table Metadata

- When creating a table, the Planner calls `CatalogMgr.createTable(tbln, sch, tx)`
 - Calculates and writes table metadata to catalog
- At the lowest level of a plan tree, the `TablePlan/Scan` can extract the metadata of the specified table through `CatalogMgr.getTableInfo(tbln, tx)`

Table Info.

- org.vanilladb.core.storage.meta
data.TableInfo



Using the Table Metadata (Planner)

```
VanillaDb.init("studentdb");
CatalogMgr catalogMgr = VanillaDb.catalogMgr();

// Create dept table
Transaction tx1 = VanillaDb.txMgr().newTransaction(
    Connection.TRANSACTION_SERIALIZABLE, false);

Schema sch = new Schema();
sch.addField("did", Type.INTEGER);
sch.addField("dname", Type.VARCHAR(20));
catalogMgr.createTable("dept", sch, tx1);

tx1.commit();
```



Using the Table Metadata (TablePlan/Scan)

```
// Print the name of each department
Transaction tx2 = VanillaDb.txMgr().newTransaction(
    Connection.TRANSACTION_SERIALIZABLE, true);

TableInfo ti = catalogMgr.getTableInfo("dept", tx2);
RecordFile rf = ti.open(tx2);
rf.beforeFirst();
while (rf.next())
    System.out.println(rf.getVal("dname"));
rf.close();

tx2.commit();
```




References

- M.M. Astrahan et al., System R: relational approach to database management, *ACM Transactions on Database Systems*, Vol. 1, No. 2, 1976
- J. M. Hellerstein et al., Architecture of a database system, *Foundations and Trends in Databases*, Vol. 1, No. 2, 2007
- Edward Sciore, Chapters 8 & 20, *Database Design and Implementation*, 2008



Assignment: Stored Procedures

- Actually, VanillaCore supports an additional client/server interface called ***stored procedures***



Assignment: Stored Procedures

- In package `remote.storedprocedure`
 - Trace the code yourself
- Given a JDBC client, rewrite it using the stored procedures
- Using the provided data population and benchmark tool to compare their performance